

Poly stat[®] hCG Test

| Section 1 Identification | |
|---------------------------------|---|
| Product name | Poly stat [®] hCG Test |
| Catalog number | HCG25 |
| Recommended use | <i>In vitro</i> diagnostic test for human chorionic gonadotropin in serum or urine |
| Manufactured for | Polymedco, Inc. 510 Furnace Dock Road Cortlandt Manor, NY 10567 www.polymedco.com |
| Emergency number | (800) 431-2123 or (914) 739-5400 |

| Section 2 Hazards Identification | |
|---|---|
| Hazard classification | Does not present any particular physical, health, or environmental hazard at the concentrations present |
| Signal word | Not applicable |
| Pictogram | Not applicable |
| Hazard statements | Not applicable |
| Precautionary statements | Not applicable |
| Any hazards not otherwise classified | None |

| Section 3 Composition and Information on Ingredients | |
|---|---|
| Chemical characterization | Ingredients are not hazardous at the concentrations present |
| Chemical name | Test Device |
| Synonyms | Not applicable |
| CAS number | Not applicable |
| Concentration | Not applicable |

| Section 4 First Aid Measures | |
|-------------------------------------|---|
| IF IN EYES: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention. |
| IF ON SKIN: | Wash with plenty of soap and water. If skin irritation occurs: Get medical advice / attention. |
| IF SWALLOWED: | Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor / physician if you feel unwell. |
| IF INHALED: | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician. |

| Section 5 Fire-Fighting Measures | |
|---|--|
| Flash point | Not determined |
| Flammable limits | Not determined |
| Auto-ignition temperature | Not determined |
| Extinguishing media | Use extinguishing media suitable for surrounding fire |
| Special fire and explosion hazards | Fire may cause material to produce noxious fumes or gases. |
| Hazardous combustion products | No special hazards determined |
| Protective equipment for firefighters | Self-contained breathing apparatus is recommended for firefighters |

Poly stat[®] hCG Test

| Section 6 Accident Release Measures | |
|--|---|
| Personal precautions | Wear protective clothing, gloves, and eye protection. |
| Emergency procedures | No special emergency procedures necessary. |
| Containment procedures | No special procedures necessary. |
| Cleanup procedures | No special procedures necessary. |

| Section 7 Handling and Storage | |
|---------------------------------------|---|
| Handling and storage | Avoid swallowing, and contact with eyes and skin. |
| Recommended storage conditions | Room temperature |
| Incompatibilities | Not determined |

| Section 8 Exposure Controls and Personal Protection | |
|--|---|
| Exposure limits: | |
| OSHA | Not determined |
| ACGIH | Not determined |
| Engineering controls | Normal room ventilation |
| Respiratory protection | Normal room ventilation |
| Eye protection | Safety glasses should be worn to prevent eye contact. |
| Skin protection | Appropriate gloves and clothing should be worn to prevent skin contact. |

| Section 9 Physical and Chemical Properties | |
|---|--------------------------------|
| Appearance | White strip in plastic housing |
| Odor | Odorless |
| Odor threshold | Not determined |
| pH | Not applicable |
| Melting point / Freezing point | Not applicable |
| Initial boiling point and boiling range | Not applicable |
| Flash point | Not determined |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not determined |
| Upper/lower flammability or explosive limits | Not determined |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Relative density | Not applicable |
| Solubility | Not applicable |
| Partition coefficient | Not determined |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not determined |
| Viscosity | Not applicable |

Poly stat[®] hCG Test

| Section 10 Stability and Reactivity | |
|--|--|
| Stability | Stable under normal ambient temperature and pressure. |
| Stabilizers needed | Not applicable |
| Safety issues with change in physical appearance | None identified |
| Hazardous reactions | None identified |
| Hazardous polymerization | Will not polymerize |
| Incompatibilities | None identified |
| Hazard decomposition products | Decomposition as a result of high heat/fire may result in noxious fumes, CO, and CO ₂ |
| Conditions to avoid | None identified |

| Section 11 Toxicological Information | |
|--|---|
| Information on likely routes and effects of exposure (short term / long term effects): | |
| Inhalation | May cause irritation of the respiratory tract. |
| Ingestion | May cause irritation of the mouth, throat, and gastrointestinal system. |
| Skin contact | May cause irritation of the skin. |
| Eye contact | May cause irritation of the eyes. |
| Toxicity (LD50/LC50) | Not available |
| Sensitization | Not available |
| Carcinogenicity | Not available |
| Reproductive Toxicity | Not available |
| Teratogenicity | Not available |
| Mutagenicity | Not available |

| Section 12 Ecological Information | |
|--|----------------|
| Ecotoxicity | Not determined |
| Persistence / degradability | Not determined |
| Bioaccumulation potential | Not determined |
| Mobility in soil (Adsorption / leaching) | Not determined |
| Environmental fate | Not determined |
| Ozone layer depletion potential | Not determined |
| Photochemical ozone creation potential | Not determined |
| Endocrine disrupting potential | Not determined |
| Global warming potential | Not determined |

| Section 13 Disposal Considerations | |
|---|---|
| Disposal containers | Leak-proof container. |
| Disposal methods | Dispose in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information. |
| Properties that may affect disposal | None |
| Sewage disposal | Do not dispose of product into drains or sewers |
| Precautions for landfills or incineration | None |

Poly stat[®] hCG Test

| Section 14 Transport Information | |
|---|-------------------------|
| UN Number | Not regulated |
| UN proper shipping name | Not regulated |
| Transport hazard class | Not regulated |
| Packing group | Not regulated |
| Environmental hazards | None identified |
| Guidance on transport in bulk | No special requirements |
| Special precautions on transport | None identified |

| Section 15 Regulatory Information | |
|--|--|
| OSHA | This product does not meet the definition of a hazardous material under 29 CFR 1910.2000 |
| TSCA | Not listed |
| SARA | |
| 302 | Not applicable |
| 311/312 | No hazards |
| 313 | Below threshold reporting levels |
| CA Prop 65 | Not listed |
| Canada DSL/NDSL | Not listed |
| WHMIS Class | Not controlled |
| The above information is not intended to be a comprehensive listing of regulations pertinent to the product, and the regulations listed are subject to change. The user is responsible for observing all applicable local, state, and national/federal regulations in handling of the product. | |

| Section 16 Other Information | | | |
|---|-------------------|----------------------|---|
| NFPA Ratings: | | HMIS Ratings: | |
| Health | 0 | Health | 0 |
| Flammability | 0 | Flammability | 0 |
| Reactivity | 0 | Reactivity | 0 |
| Physical Hazards | | Protective Equipment | B |
| Date of preparation | 12 September 2014 | | |
| Last revision date | 25 February 2015 | | |
| The information in this SDS is believed to be accurate and complete at the time of revision. No warranty, express or implied, is made, and Polymedco assumes no legal responsibility or liability from its use. The user of our products is responsible for observing any applicable laws and guidelines. | | | |